

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/718,991</u>	Examiner : <u>Thomas D. Lee</u>	GAU : <u>2624</u>
From : <u>MR</u>	Location : <u>IDC</u> FMF FDC	Date : <u>07/19/05</u>
Tracking # : <u>EPN 09718 991</u>		Week Date : <u>07/18/2005</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input checked="" type="checkbox"/> SPEC	<u>11-22-04</u>	

[RUSH] MESSAGE: <u>Please advise as to the correct location to add amendment to specification dated 11-22-04.</u>	
<u>Thank you,</u> <u>MR</u>	

[XRUSH] RESPONSE: <u>Amendment is to be inserted between the last two paragraphs of the specification (p. 30, line 20), as authorized by attorney (note Examiner's Amendment).</u>	
INITIALS: <u>TDL</u>	

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04